

OVERZICHT SLOTENBAKKEN

SLOTENBAK YANMAR SV08				
CODE	BREEDTE (mm)	INHOUD (liter)	GEWICHT (kg)	INFO
SB10-750-CW00	750	41	32	
SB10-800-CW00	800	44	35	
SB10-1000-CW00	1000	56	47	
SB10-750-QT00	750	41	33	
QT00 BESCHIKBAAR OP AANVRAAG				
SB10-750-MS01	750	41	34	
SB10-1200-MS01	1200	65	59	

SLOTENBAK YANMAR VIO10 - VIO12				
CODE	BREEDTE (mm)	INHOUD (liter)	GEWICHT (kg)	INFO
SB10-750-CW00	750	41	32	
SB10-800-CW00	800	44	35	
SB10-1000-CW00	1000	56	47	
SB10-750-QT00	750	41	33	
QT00 BESCHIKBAAR OP AANVRAAG				
SB10-750-MS01	750	41	34	
SB10-1200-MS01	1200	65	59	
SB10-750-CW05	750	41	37	
SB10-900-CW05	900	50	45	
SB10-1000-CW05	1000	56	52	
SB10-800-QT05	800	44	41	
SB10-1000-QT05	1000	56	56	
QT05 BESCHIKBAAR OP AANVRAAG				

SLOTENBAK YANMAR SV16 - SV18 - VIO17				
CODE	BREEDTE (mm)	INHOUD (liter)	GEWICHT (kg)	INFO
SB15-800-CW05	800	57	45	
SB15-900-CW05	900	64	49	
SB15-950-CW05	950	68	52	
SB15-1000-CW05	1000	71	54	
SB15-1200-CW05	1200	86	63	
SB15-1000-QT05	1000	71	58	
QT05 BESCHIKBAAR OP AANVRAAG				
SB15-900-MS01	900	64	46	
SB15-1000-MS01	1000	71	51	

SLOTENBAK YANMAR SV22 - SV26 - VIO23 - VIO26 - VIO27

CODE	BREEDTE (mm)	INHOUD (liter)	GEWICHT (kg)	INFO
SB20-1000-CW05	1000	87	74	
SB20-1200-CW05	1200	114	85	
SB20-1200-QT05	1200	114	89	
SB20-1300-QT05	1300			
SB20-1200-QTOM	1200	114	105	ONDERMES
QT05 BESCHIKBAAR OP AANVRAAG				
SB20-1200-MS03	1200	114	90	
SB20-1200-QA11	1200	114	100	

SLOTENBAK YANMAR VIO33 - VIO38

CODE	BREEDTE (mm)	INHOUD (liter)	GEWICHT (kg)	INFO
SB25-1200-CW05	1200	174	114	
SB25-1200-CW0AM	1200	174	128	ACHTERMES
SB25-1200-QT05	1200	174	118	
QT05 BESCHIKBAAR OP AANVRAAG				
SB25-1200-CW10	1200	174	133	
SB25-1300-CW10	1300	189	125	
SB25-1200-QT10	1200	174	136	
SB25-1400-QT10	1400			ONDERMES+ACHTERMES
QT10 BESCHIKBAAR OP AANVRAAG				
SB25-1200-MS03	1200	174	119	
SB25-1400-MS-03OM+AM	1400			ONDERMES+ACHTERMES
SB30-1200-CW05	1200	220	120	VIO38-50
SB30-1300-CW05	1300	239	130	VIO38-50
SB30-1400-CW05	1400	258	140	VIO38-50
SB30-1200-QT05	1200	220	125	VIO38-50
SB30-1200-QT05OM	1200	220	130	VIO38-50
SB30-1300-QT05	1300	239	135	VIO38-50
QT05 BESCHIKBAAR OP AANVRAAG				
SB30-1400-CW10	1400	258	158	VIO38-50
SB30-1500-CW10	1500	277	178	VIO38-50
SB30-1500-QT10	1500	277	181	VIO38-50
QT10 BESCHIKBAAR OP AANVRAAG				
Slotenbak type 30/35/40 vanaf 1600mm breedte: steeds voorzien van een boomerang!				

SLOTENBAK YANMAR VIO50 - VIO57 - SV60

CODE	BREEDTE (mm)	INHOUD (liter)	GEWICHT (kg)	INFO
SB35-1400-CW10	1400	315	194	
SB35-1500-CW10	1500	332	208	
SB35-1500-CW10AM	1500	332	230	ACHTERMES
SB35-1600-CW10	1600	362	222	
SB35-1400-QT10	1400	315	197	
SB35-1500-QT10	1500	332	211	
SB35-1500-QT10AM	1500	332	230	ACHTERMES
SB35-1500-QT10OOM	1500	332	230	ONDERMES
SB35-1600-QT10	1600	362	225	

Slotenbak type 30/35/40 vanaf 1600mm breedte: steeds voorzien van een boomerang!

SLOTENBAK YANMAR VIO82 - SV85 - SV100 - SV120

CODE	BREEDTE (mm)	INHOUD (liter)	GEWICHT (kg)	INFO
SB40-1500-CW10	1500	460	267	
SB40-1500-CW10AM	1500	460	290	ACHTERMES
SB40-1600-CW10	1600	491	322	
SB40-1600-CW10AM	1600	491	350	ACHTERMES
SB40-1700-CW10AM	1700	523	300	ACHTERMES
SB40-1800-CW10	1800	555	317	
SB40-1500-QT10	1500	460	270	
SB40-1500-QT10AM	1500	460	315	ACHTERMES
SB40-1600-QT10	1600	491	286	
SB40-1700-QT10AM	1700	523	304	ACHTERMES
SB40-1800-QT10	1800	555	320	
SB40-1800-QT10OOM	1800	555	330	ONDERMES

Slotenbak type 30/35/40 vanaf 1600mm breedte: steeds voorzien van een boomerang!

INFO

	AFSTAND TUSSEN DE OREN (mm)	DIKTE OREN (mm)	OVERMETEN AFSTAND (mm)	
CW00 / QT00	150	15	180	
CW05 / QT05	185	20	225	
CW10 / QT10	320	25	370	